

JUL 17 2001

9 . Sig / itti que .

一种有效。 

-Edwards Land 4 / F. . .

eggene free

# DOT-E 12599 (FIRST REVISION)

EXPIRATION DATE: December 31,

(FOR RENEWAL, SEE 49 CFR § 107.109)

Voltaix, Incorporated 1. GRANTEE: North Branch, NJ

#### 2. PURPOSE AND LIMITATION:

- This exemption authorizes the transportation in commerce of Silicon tetrafluoride, Division 2.3, in certain manifolded DOT Specification 3AA and 3AAX cylinders. This exemption provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.
- The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce. The safety analyses did not consider the hazards and risks associated with consumer use or other uses not associated with transportation in commerce.
- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 173.301(d)(2) in 4. that manifolding cylinders containing silicon tetrafluoride is not authorized except as prescribed herein, and § 173.302(a)(3) in that DOT Specification 3AAX cylinders are not authorized for silicon tetrafluoride, except as prescribed herein.
- 5. BASIS: This exemption is based on the application of Voltaix, Incorporated dated October 12, 2000 submitted in accordance with § 107.105 and the public proceeding thereon.

es Barris , 1 X . .

Continuation of DOT-E 12599 (1st Rev.)

## HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Silicon tetrafluoride, compressed	2.3 Hazard Zone B	UN1859	N/A

#### 7. SAFETY CONTROL MEASURES:

- <u>PACKAGING</u> Packaging prescribed are DOT Specification 3AA or 3AAX cylinders manufactured with 4130X alloy steel and having a service pressure of at least 2,200 psig. Manifolded DOT-3AA and 3AAX specification cylinders must fully conform with \$173.301(d)(2).
- TESTING Each cylinder must be retested and reinspected in accordance with the applicable requirements of § 173.34(e).

### MARKING c.

- (i) Each cylinder must be marked "DOT-E 12599" as specified in §§ 172.302(b) and (c).
- (ii) Additionally, each tube trailer motor vehicle must be marked "DOT-E 12599" on both sides near the middle in letters an numerals at least 2 inches high on a contrasting background.

#### 8. SPECIAL PROVISIONS:

- A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modification or change is made to the package or its contents and it is reoffered for transportation in conformance with this exemption and the HMR.
- A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.

A. 15. .

The state of the second second

温温热 医二十二

· 李林·李、 JAN 1 1 1 1 1. 18 · · · · · · · · · · · · ·

of the last

Continuation of DOT-E 12599 (1st Rev.)

- 9. MODES OF TRANSPORTATION AUTHORIZED: Motor vehicle.
- 10. MODAL REQUIREMENTS: A current copy of this exemption must be carried aboard each motor vehicle used to transport packages covered by this exemption.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:
  - o All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
  - o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued in Washington, D.C.:

Robert/A. McGuire

Associate Administrator for Hazardous Materials Safety

JUL 17 2001

AND THE STATE OF T

(DATE)

7 1 2 1 1 1

1 2 2

4. 145 Myle 3

. . .  Par HE M

الأنجال بالمواجات

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590. Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Copies of exemptions may be obtained from the AAHMS, U.S. Department of Transportation, 400 7th Street, S.W., Washington, DC 20590-0001, Attention: Records Center, 202-366-5046. ecords Center, 202-366-5046.

or the state

PO: CWFREEEMAN/KFW